


10 096 2GN 00 RAINSHOWER AQUA PURE SHOWER SYSTEM WITH THERMOSTAT FOR WALL MOUNTING



TOOTE KIRJELDUS (1/2)


- Värvus: brushed cool sunrise
- consisting of:
 - horizontal 435 mm shower arm
 - exposed SmartControl thermostat with metal housing
 - allows change between:
 - head shower Rainshower Aqua Duo square 400 x 230 mm, black acrylic spray plate
 - swing angle 0° - 30°
 - 2 spray patterns:
 - GROHE PureRain, ActiveRain
 - hand shower Rainshower Aqua 130 (101 676), black acrylic spray plate
 - 3 spray patterns:
 - GROHE Rain, Rain+ and ActiveMassage
 - adjustable in height with gliding element
 - initial Rainshower Aqua Pure unit (101 672 9990) enclosed
 - shower hose 1750 mm
 - GROHE Rainshower Aqua Pure removes chlorine and odor (hand shower)
 - GROHE SmartTip showering spray selection via push of a ring
 - GROHE Water Saving - Less water, perfect flow
 - maximum flow rate (at 3 bar): 15 l/min
 - GROHE SmartControl with recessed metal buttons, push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 - GROHE ProGrip Metal with knurl structure
 - GROHE TurboStat compact cartridge with wax thermoelement
 - GROHE SafeStop at 38°C
 - GROHE SafeStop Plus optional temperature limiter at 43°C included
 - integrated GROHE EasyReach shower tray (black glass)
 - GROHE DreamSpray perfect spray pattern
 - GROHE Long-Life finish
 - SpeedClean anti-lime system
 - Inner WaterGuide for a longer life
 - TwistStop to prevent hose from twisting
 - GROHE CoolTouch prevents scalding on hot surfaces

10 096 2GN 00 **RAINSHOWER AQUA PURE SHOWER SYSTEM WITH THERMOSTAT FOR WALL MOUNTING**

TOOTE KIRJELDUS (2/2)

- suitable for instantaneous heaters from 18 kW/h
- minimum flow rate 5 l/min.
- min. recommended pressure 1.0 bar
- internal 6 V lithium battery (42 886 000) type CR-P2
- battery lifetime approx. 10 years
- replacement filter: Rainshower Aqua Pure unit (101 672 9990)
- optional: Rainshower Aqua glass shelf (101 677)
- to change the filter, a minimum distance of 20 cm from the right-hand side wall must be maintained

10 096 2GN 00 RAINSHOWER AQUA PURE SHOWER SYSTEM WITH THERMOSTAT FOR WALL MOUNTING



VARUOSAD, november 2022 – nüüd

- 1: temperature control handle (Tellimuse number 108445GN00)
 - 2: Fitting ring (Tellimuse number 47743000)
 - 3: Thermostatic compact cartridge 1/2" (Tellimuse number 47439000)
 - 4: Pushbutton incl. cartridge (Tellimuse number 108447GN00)
 - 5: pushbutton filter (Tellimuse number 108448GN00)
 - 6: flow sensor (Tellimuse number 1084529990)
 - 7: filter lock incl. dummy (Tellimuse number 1084519990)
 - 8: cap filter (Tellimuse number 108449GN00)
 - 9: Unit for Rainshower Aqua Pure shower systems (Tellimuse number 1016729990)
 - 10: Battery housing (Tellimuse number 42393000)
 - 10.1: Battery (Tellimuse number 42886000)
 - 11: S-Union 1/2" X 3/4" (Tellimuse number 1084559990)
 - 12: non-return valves (Tellimuse number 108460999M)
 - 13: outlet nipple (Tellimuse number 1084540000)
 - 13.1: Non-return valve (Tellimuse number 08565000)
 - 14: cover (Tellimuse number 108484K000)
 - 15: glider (Tellimuse number 108592GN00)
 - 16: shower hose (Tellimuse number 108655GL00)
 - 17: Dirt strainer (Tellimuse number 0700200M)
 - 18: spare head shower (Tellimuse number 108652GN00)
 - 18.1: set of replacement parts (Tellimuse number 108603GN00)
 - 19: shower rail holder (Tellimuse number 108588GN00)
 - 20: exchange shower system (Tellimuse number 108558GN00)
 - 21: exchange-thermostat (Tellimuse number 108549GN00)
 - 22: GROHE TurboStat cartridge 1/2" (Tellimuse number 47175000)*
 - 23: Shelf (Tellimuse number 101677GN00)*
 - 24: Socket spanner (Tellimuse number 19332000)*
- * Lisatarvikud